SAFETY DATA SHEET

according to 1907/2006/EC, Article 31

Page 1/5

RAC 3 in 1 Screenwash -15C

Revision 0
Revision date 2017-03-08

	Novicin date 2017 60 00
SECTION 1: Identification of	the substance/mixture and of the company/undertaking
1.1. Product identifier	
Product name	RAC 3 in 1 Screenwash -15C
1.2. Relevant identified uses of t	the substance or mixture and uses advised against
Product Use	[SU21] Consumer uses: Private households (= general public = consumers); [PC4] Anti-Freeze and de-icing products;
1.3. Details of the supplier of the	safety data sheet
Company	Active Brand Concepts Ltd
Address	The Forge Crewe Hall Farm Crewe Cheshire CW1 5UE

 Web
 www.homecareproducts.co.uk

 Telephone
 0844 335 0816

 Fax
 0844 335 0854

Email sales@active-brand-concepts.com
Email address of the sales@active-brand-concepts.com
competent person

Local Supplier

Company Bulk Products Ltd

Address Unit 13 Queensway Industrial Estate

Queensway Wrexham LL13 8YR United Kingdom

Web www.homecareproducts.co.uk

 Telephone
 0844 335 0816

 Fax
 0844 335 0854

Email sales@active-brand-concepts.com
Email address of the sales@active-brand-concepts.com
competent person

1.4. Emergency telephone number

 Emergency telephone number
 08443350816

 Company
 James Sharpe

 8.30 - 5

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Revision 0 Revision date 2017-03-08

2.1. Classification of the substance or mixture

2.1.2. Classification - EC 1272/2008

Flam. Liq. 3: H226; Acute Tox. 4: H302; Acute Tox. 4: H312; Acute Tox. 4: H332; STOT SE 1: H370;

2.2. Label elements

Hazard pictograms







SECTION 3: Composition/information on ingredients

3.2. Mixtures

67/548/EEC / 1999/45/EC

Chemical Name	Index No.	CAS No.	EC No.	REACH Registration Number	Conc. (%w/w)	Classification	M-factor.
Methanol	603-001-00-X	67-56-1	200-659-6			F; R11 T;	
						R23/24/25-39/23/24/25	
Isopropanol (Propan-2-ol)	603-117-00-0	67-63-0	200-661-7		20 - 30%	6 F; R11 Xi; R36 R67	

EC 1272/2008

Chemical Name	Index No.	CAS No.	EC No.	REACH Registration Number	Conc. (%w/w)	Classification	M-factor.
Methanol	603-001-00-X	67-56-1	200-659-6			Flam. Liq. 2: H225; Acute	
						Tox. 3: H331; Acute Tox. 3:	
						H311; Acute Tox. 3: H301;	
						STOT SE 1: H370;	
Isopropanol (Propan-2-ol)	603-117-00-0	67-63-0	200-661-7			Flam. Liq. 2: H225; Eye Irrit.	
						2: H319; STOT SE 3: H336;	
Ammonia solution	007-001-01-2	1336-21-6	215-647-6			Skin Corr. 1B: H314; Aquatic	
						Acute 1: H400;	

SECTION 4: First aid measures

4.1. Description of first aid measures

Inhalation	Harmful by inhalation. Inhalation may cause nausea and vomiting. May cause dizziness and headache. Move the exposed person to fresh air. Seek medical attention.
Eye contact	May cause irritation to eyes. Rinse immediately with plenty of water for 15 minutes holding the eyelids open. Seek medical attention if irritation or symptoms persist.
Skin contact	May cause irritation to skin. May cause dermatitis. Wash off immediately with plenty of soap and water. Remove contaminated clothing. Seek medical attention if irritation or symptoms persist.
Ingestion	Harmful if swallowed. Ingestion may cause nausea and vomiting. Ingestion is irritating to the respiratory tract and may cause damage to the central nervous system. DO NOT INDUCE VOMITING. If swallowed, seek medical advice immediately and show this container or label.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Use as appropriate: Carbon dioxide (CO2), Dry chemical, Foam.

5.2. Special hazards arising from the substance or mixture

. Burning produces irritating, toxic and obnoxious fumes.

5.3. Advice for firefighters

Wear suitable respiratory equipment when necessary.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation of the working area. Eliminate all sources of ignition. Wear suitable protective equipment.

Revision Revision date 2017-03-08

6.2. Environmental precautions

Do not allow product to enter drains. Prevent further spillage if safe.

6.3. Methods and material for containment and cleaning up

Absorb with inert, absorbent material. Transfer to suitable, labelled containers for disposal. Clean spillage area thoroughly with plenty of water.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Avoid contact with eyes and skin. Ensure adequate ventilation of the working area. Use explosion proof equipment. Keep away from sources of ignition - No smoking. Adopt best Manual Handling considerations when handling, carrying and dispensing.

7.2. Conditions for safe storage, including any incompatibilities

Keep in a cool, dry, well ventilated area. Keep containers tightly closed

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1. Exposure Limit Values

Isopropanol (Propan-2-ol)	WEL 8-hr limit ppm: 400	WEL 8-hr limit mg/m3 : 999
	WEL 15 min limit ppm: 500	WEL 15 min limit mg/m3: 1250
	WEL 8-hr limit mg/m3 total -	WEL 15 min limit mg/m3 total -
	inhalable dust:	inhalable dust:
	WEL 8-hr limit mg/m3 total -	WEL 15 min limit mg/m3 total -
	respirable dust:	respirable dust:
Methanol	WEL 8-hr limit ppm: 200	WEL 8-hr limit mg/m3: 266
	WEL 15 min limit ppm: 250	WEL 15 min limit mg/m3: 333
	WEL 8-hr limit mg/m3 total -	WEL 15 min limit mg/m3 total -
	inhalable dust:	inhalable dust:
	WEL 8-hr limit mg/m3 total -	WEL 15 min limit mg/m3 total -
	respirable dust:	respirable dust:

8.2. Exposure controls



8.2.1. Appropriate engineering

controls

8.2.2. Individual protection measures

Eye / face protection

Skin protection -

Handprotection

Respiratory protection

Ensure adequate ventilation of the working area.

Wear chemical protective clothing.

Approved safety goggles.

Chemical resistant gloves (PVC).

Self-contained breathing apparatus. Wear protective clothing.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties



Revision Revision date 2017-03-08

9.1. Information on basic physical and chemical properties

Appearance Liquid

> Colour Blue

Odour Alcoholic

рН

± 7.5

Initial boiling point ± 80.1 °C

Flash point 37

Relative density 0.95 - 1 (H2O = 1 @ 20 °C)

Viscosity ± 10 mPas (Cone & Plate)

Solubility | Soluble in water

SECTION 10: Stability and reactivity

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

Oxidising agents.

10.4. Conditions to avoid

Heat, sparks and open flames.

SECTION 11: Toxicological information

11.1.4. Toxicological Information

No data available

SECTION 12: Ecological information

12.1. Toxicity

No data available

SECTION 13: Disposal considerations

General information

Dispose of in compliance with all local and national regulations

SECTION 14: Transport information

14.1. UN number

The product is not classified as dangerous for carriage.

14.2. UN proper shipping name

The product is not classified as dangerous for carriage.

14.3. Transport hazard class(es)

The product is not classified as dangerous for carriage.

14.4. Packing group

The product is not classified as dangerous for carriage.

14.5. Environmental hazards

The product is not classified as dangerous for carriage.

14.6. Special precautions for user

The product is not classified as dangerous for carriage.

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

The product is not classified as dangerous for carriage.



Revision 0
Revision date 2017-03-08

SECTION 15: Regulatory information

CECTION	16. Otha	r information
シニハ・ロバカオ	то слие	i imiormanion

O	tŀ	ner	in	for	ma	ation

Text of risk phrases in Section R11 - Highly flammable. 3 R23/24/25 - Toxic by inhalation, in contact with skin and if swallowed. R36 - Irritating to eyes. R39/23/24/25 - Toxic: danger of very serious irreversible effects through inhalation, in contact with skin and if swallowed. R67 - Vapours may cause drowsiness and dizziness. Text of Hazard Statements in Flam. Lig. 2: H225 - Highly flammable liquid and vapour. Section 3 Acute Tox. 3: H301 - Toxic if swallowed. Acute Tox. 3: H311 - Toxic in contact with skin. Acute Tox. 3: H331 - Toxic if inhaled. STOT SE 1: H370 - Causes damage to organs . Eye Irrit. 2: H319 - Causes serious eye irritation. STOT SE 3: H336 - May cause drowsiness or dizziness. Skin Corr. 1B: H314 - Causes severe skin burns and eye damage. Aquatic Acute 1: H400 - Very toxic to aquatic life.

Further information

The information supplied in this Safety Data Sheet is designed only as guidance for the safe use, storage and handling of the product. This information is correct to the best of our knowledge and belief at the date of publication however no guarantee is made to its accuracy. This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any other process.